

NAAC ACCREDITATION CYCLE: 2
SELF STUDY REPORT

CRITERION IV
INFRASTRUCTURE AND LEARNING
RESOURCES

4.3 IT Infrastructure
Metric No- 4.3.2



Submitted to
National Assessment and Accreditation Council (NAAC)



MAULI GROUP OF INSTITUTION'S
COLLEGE OF ENGINEERING AND TECHNOLOGY, SHEGAON





**LATE PURUSHOTTAM HARI (GANESH) PATIL SHIKSHAN SANSTHA'S
MAULI GROUP OF INSTITUTION'S, COLLEGE OF ENGINEERING AND TECHNOLOGY**


(Approved by AICTE, New Delhi and Govt of Maharashtra, Affiliated to SGB Amravati University, ISO 9001:2015 Certified)

College Code : EN : 1265 Khamgaon Road, Shegaon. Dist Buldhana. Pin Code: 444 203

Web: mauligroup.org

Contact: 7722027506

Email: maulicoet@gmail.com



Dr. C. M. Jadhao
(Principal)

Mr. D. P. Patil
(Chairman)

Ref No: _____

Date: 24/05/2024

Declaration

This is to declare that the information, reports, true copies and numerical data etc, furnished in this file as supporting documents are verified by IQAC and found correct.

Hence this certificate.

Dr. P. M. Ardhapurkar
IQAC Coordinator
IQAC Coordinator
Mauli Group of Institutions
College of Engineering &
Technology, Shegaon

Dr. C. M. Jadhao
Principal
PRINCIPAL
Mauli Group of Institutions
College of Engineering &
Technology, Shegaon



Late Purushottam Hari (Ganesh) Patil Shikshan Sanstha's
Mauli Group of Institution's
College of Engineering & Technology, Shegaon

Criterion IV: Infrastructure and Learning Resources

Metric No. 4.3.2 (QnM)

Student – Computer ratio (Data for the latest completed academic year)

4.3.2.1. Number of computers available for student's usage during the latest completed academic year: 2022-2023

INDEX

| S.N. | TITLE | Pg. No |
|-------------|-------------------------------------|---------------|
| 1 | Summary of lab wise PC count | 4 |
| 2 | Stock Book Register | 5-29 |





Late Purushottam Hari (Ganesh) Patil Shikshan Sanstha's

MAULI GROUP OF INSTITUTION'S

COLLEGE OF ENGINEERING & TECHNOLOGY SHEGAON

AICTE Approved Affiliated to Sant Gadge Baba Amravati University, Amravati, ISO 9001 2015 Certified

Labwise PC Count (A.Y.2022-23)

| Sr.No. | Location of PC | Nos. |
|--------|------------------------|------------|
| 1 | MPMC Lab | 11 |
| 2 | CE Lab | 1 |
| 3 | CAD Lab | 20 |
| 4 | Seminar Hall EXTC | 1 |
| 5 | Seminar Hall CSE | 1 |
| 6 | ELPO Seminar Hall | 1 |
| 7 | MECH Seminar Hall | 1 |
| 8 | DSP Lab | 23 |
| 9 | Computer Center | 50 |
| 10 | Raspberry Pi Lab | 20 |
| 11 | OS Lab | 17 |
| 12 | Hardware Lab | 23 |
| 13 | DBMS Lab | 22 |
| 14 | Webtech Lab | 23 |
| 15 | Library | 14 |
| 16 | Civil Dept.Lab | 6 |
| 17 | Project Lab EXTC Dept. | 15 |
| 18 | Computer Lab ELPO | 12 |
| 19 | OOP's Lab | 20 |
| 20 | Language Lab | 20 |
| 21 | ME DE Lab | 16 |
| 22 | Project Lab CSE Dept. | 7 |
| | | 324 |

| Sr.No. | Location of PC | Nos. |
|--------|-----------------------|-----------|
| 1 | Principal Office | 3 |
| 2 | Academic Coordinator | 1 |
| 3 | OS Office | 2 |
| 4 | Reception | 2 |
| 5 | HOD ASH | 2 |
| 6 | Central Store | 2 |
| 7 | Exam Control Room | 2 |
| 8 | HOD ELPO | 1 |
| 9 | HOD MECH | 2 |
| 10 | Alumni Office | 1 |
| 11 | T&P Office | 4 |
| 12 | Consumer Store | 1 |
| 13 | Sport Department | 1 |
| 14 | HOD CIVIL | 2 |
| 15 | HOD EXTC | 1 |
| 16 | Workshop Department | 2 |
| 17 | Admin Office | 7 |
| 18 | Account Office | 6 |
| 19 | Server Room | 7 |
| 20 | Girls and Boys Hostel | 2 |
| | | 51 |

Number of PC in use for Students = 324

Number of PC for Employees = 51

Total No.of PC = 375


Mr.Shrikant Aware

Store Incharge


Dr.P.M.Hasabnis

Incharge,Server Room


Prof.A.S.Rakad

HOD,CSE & Academic Coordinator

H. O. D

Dept of Computer Sci & Engineering
Mauli Group of Institutions
College of Engineering & Technology
Shegaon, Dist. Buldhana.



Late Purushottam Hari (Ganesh) Patil Shikshan Sanshodhan
Mauli College of Engineering and Technology, Shegaon
Department of Computer



Month Of March-22-23
Computer Stock

MPMC Lab

| S.N. | Make | CPU Sr No | Tensil No. |
|------|------|---------------|------------------------------|
| 1 | HCL | 6103A1474320 | MGI-COET/11-12/MPMC/PC/085 X |
| 2 | DELL | 482GT12 | MGI-COET/14-15/MPMC/PC/266 |
| 3 | HCL | 4123AC357900 | MGI-COET/12-13/MPMC/PC/197 X |
| 4 | DELL | C34GT12 | MGI-COET/14-15/MPMC/PC/287 |
| 5 | DELL | 314GT12 | MGI-COET/14-15/MPMC/PC/288 |
| 6 | DELL | 8652486134 | MGI-COET/14-15/MPMC/PC/293 |
| 7 | HCL | 6103A1474345 | MGI-COET/11-12/MPMC/PC/002 |
| 8 | HCL | 4123AC35488 | MGI-COET/12-13/MPMC/PC/172 X |
| 9 | HCL | 6103AC1473843 | MGI-COET/11-12/MPMC/PC/037 |
| 10 | HCL | 2123AC309237 | MGI-COET/12-13/MPMC/PC/165 |
| 11 | HCL | 2123AC309337 | MGI-COET/12-13/MPMC/PC/170 X |

[Signature]
Lab Incharg

[Signature]
HOD

[Signature]
Store Incharg

[Signature]
Principal

Mauli Group of Institutions
College of Engineering &
Technology Shegaon

CE Lab

| S.N. | Make | CPU Sr No | Tensil No. |
|------|------|--------------|------------------------------|
| 1 | HCL | 4123AC357871 | MGI-COET/12-13/CE Lab/PC/129 |

[Signature]
-Lab Incharg

[Signature]
HOD

[Signature]
Store Incharg

[Signature]
Principal

Principal
Mauli Group of Institutions
College of Engineering &
Technology Shegaon

CAD Lab

| S.N. | Make | CPU Sr No | Tensil No. |
|------|------|-------------|--------------------------------------|
| 1 | DELL | 15475945178 | MGI-COET/18-19/CAD Lab/PC/335 |
| 2 | DELL | 37680898862 | MGI-COET/18-19/CAD Lab/PC/334 Faulty |
| 3 | DELL | 35588764730 | MGI-COET/18-19/CAD Lab/PC/317 Faulty |
| 4 | DELL | 15465915434 | MGI-COET/18-19/CAD Lab/PC/332 |
| 5 | DELL | 18810927686 | MGI-COET/18-19/CAD Lab/PC/331 |
| 6 | DELL | 19084891718 | MGI-COET/18-19/CAD Lab/PC/330 |
| 7 | DELL | 37570184174 | MGI-COET/18-19/CAD Lab/PC/329 |
| 8 | DELL | 15464375186 | MGI-COET/18-19/CAD Lab/PC/328 |
| 9 | DELL | 15466055402 | MGI-COET/18-19/CAD Lab/PC/327 |
| 10 | DELL | 15479624794 | MGI-COET/18-19/CAD Lab/PC/326 Faulty |
| 11 | DELL | 15477766058 | MGI-COET/18-19/CAD Lab/PC/325 |
| 12 | DELL | 18952015430 | MGI-COET/18-19/CAD Lab/PC/324 |
| 13 | DELL | 30041133050 | MGI-COET/18-19/CAD Lab/PC/323 |
| 14 | DELL | 37517836142 | MGI-COET/18-19/CAD Lab/PC/333 |
| 15 | DELL | 29988831674 | MGI-COET/18-19/CAD Lab/PC/321 |
| 16 | DELL | 35761671866 | MGI-COET/18-19/CAD Lab/PC/320 |
| 17 | DELL | 15479164442 | MGI-COET/18-19/CAD Lab/PC/319 |
| 18 | DELL | 15474265568 | MGI-COET/18-19/CAD Lab/PC/318 |
| 19 | DELL | 15479304410 | MGI-COET/18-19/CAD Lab/PC/322 |
| 20 | DELL | 15470954282 | MGI-COET/18-19/CAD Lab/PC/316 |


Lab Incharg


HOD



Store Incharg


Principal

Mauli Group of Institution
College of Engineering &
Technology Shegaon

Principal Office


| S.N. | Make | CPU Sr No | Tensil No. |
|------|------|-----------|---------------------------------|
| 1 | HCL | 724GT12 | MGI-COET/14-15/PR Office/PC/292 |
| 2 | DELL | GY3GT12 | MGI-COET/14-15/PR Office/PC/294 |
| 3 | DELL | 842GT12 | MGI-COET/14-15/PR Office/PC/213 |

 Lab Incharg
  HOD
  Store Incharg
  Principal

Mauli Group of Institution
College of Engineering &
Technology Shegaon

Accademic Co-ordinator



| S.N. | Make | CPU Sr No | Tensil No. |
|------|------|-----------|------------------------------|
| 1 | DELL | J4C5HL2 | MGI-COET/18-19/ACC-CO/PC/275 |

 Lab Incharg
  HOD
  Store Incharg
  Principal

Mauli Group of Institution
College of Engineering &
Technology Shegaon

O.S. Office


| S.N. | Make | CPU Sr No | Tensil No. |
|------|------|-----------|---------------------------------|
| 1 | DELL | 392GT12 | MGI-COET/14-15/OS Office/PC/215 |
| 2 | DELL | F72GT12 | MGI-COET/14-15/OS Office/PC/291 |

 Lab Incharg
  HOD
  Store Incharg
  Principal

Mauli Group of Institution
College of Engineering &
Technology Shegaon

Seminar Hall EXTC


| S.N. | Make | CPU Sr No | Tensil No. |
|------|------|--------------|---------------------------------|
| 1 | HCL | 6103A1473805 | MGI-COET/11-12/Semi-EXTC/PC/077 |

 Lab Incharg
  HOD
  Store Incharg
  Principal


Mauli Group of Institution
College of Engineering &
Technology Shegaon

Reception

| S.N. | Make | CPU Sr No | Tensil No. |
|------|------|--------------|-----------------------------|
| 1 | HCL | 6103A1474321 | MGI-COET/11-12/REPT./PC/098 |
| 2 | HCL | 1133AC537626 | MGI-COET/13-14/REPT./PC/225 |


Lab Incharg

HOD


Store Incharg



Principal


Principal
Mauli Group of Institution

HOD ASH

| r No | Make | CPU Sr No | Tensil No. |
|------|------|--------------|-------------------------------|
| 1 | HCL | 6103A1473808 | MGI-COET/11-12/HOD-ASH/PC/022 |
| 2 | HCL | 6103A1473804 | MGI-COET/11-12/HOD-ASH/PC/052 |


Lab Incharg


HOD


Store Incharg


Principal

Principal
Mauli Group of Institution
College of Engineering &
Technology Shegaon

ED Cell

| S.N. | Make | CPU Sr No | Tensil No. |
|------|------|--------------|-------------------------------|
| 1 | HCL | 6103A1474326 | MGI-COET/11-12/ED Cell/PC/089 |
| 2 | HCL | 6103A1473816 | MGI-COET/11-12/ED Cell/PC/079 |

Lab Incharg

HOD




Store Incharg


Principal

Principal
Mauli Group of Institution
College of Engineering &
Technology Shegaon


Principal
Mauli Group of Institution
College of Engineering &
Technology Shegaon

Central Store

| S.N. | Make | CPU Sr No | Tensil No. |
|--|------|--------------|-------------------------------|
| 1 | DELL | 472GT12 | MGI-COET/14-15/C-Store/PC/309 |
| 2 | HCL | 3133AC591138 | MGI-COET/13-14/C-Store/PC/238 |
| <div style="display: flex; justify-content: space-between; padding: 10px;"> <div style="text-align: center;">  Lab Incharg </div> <div style="text-align: center;">  HOD </div> <div style="text-align: center;">  Store Incharg </div> <div style="text-align: center;">  Principal </div> </div> | | | |

Principal
Mauli Group of Institution
College of Engineering &
Technology Shegaon.

Exam Control Room

| S.N. | Make | CPU Sr No | Tensil No. |
|---|------|-----------|-----------------------------|
| 1 | DELL | J4BFH92 | MGI-COET/18-19/Exam /PC/336 |
| 2 | DELL | 362GT12 | MGI-COET/14-15/Exam/PC/290 |
| <div style="display: flex; justify-content: space-between; padding: 10px;"> <div style="text-align: center;">  Lab Incharg </div> <div style="text-align: center;">  HOD </div> <div style="text-align: center;">  Store Incharg </div> <div style="text-align: center;">  Principal </div> </div> | | | |



Principal
Mauli Group of Institution
College of Engineering &
Technology Shegaon.

Seminar Hall CSE

| S.N. | Make | CPU Sr No | Tensil No. |
|---|------|--------------|--------------------------------|
| 1 | HCL | 1133AC537721 | MGI-COET/13-14/Semi-CSE/PC/261 |
| <div style="display: flex; justify-content: space-between; padding: 10px;"> <div style="text-align: center;">  Lab Incharg </div> <div style="text-align: center;">  HOD </div> <div style="text-align: center;">  Store Incharg </div> <div style="text-align: center;">  Principal </div> </div> | | | |

Principal
Mauli Group of Institution
College of Engineering &
Technology Shegaon.

HOD ELPO

| S.N. | Make | CPU Sr No | Tensil No. |
|--|------|-----------|--------------------------------|
| 1 | DELL | 292GT12 | MGI-COET/14-15/ELPO-HOD/PC/303 |
| <p>  Lab Incharg  HOD  Store Incharg  Principal </p> | | | |



Principal
Mauli Group of Institution
College of Engineering &
Technology Shgaon.

HOD MECH

| S.N. | Make | CPU Sr No | Tensil No. |
|--|------|--------------|--------------------------------|
| 1 | HCL | 3133AC591161 | MGI-COET/13-14/HOD-MECH/PC/241 |
| 2 | DELL | 4Y3GT12 | MGI-COET/14-15/HOD-MECH/PC/274 |
| <p>  Lab Incharg  HOD  Store Incharg  Principal </p> | | | |



Principal
Mauli Group of Institution
College of Engineering &
Technology Shgaon.

ELPO Seminar Hall

| S.N. | Make | CPU Sr No | Tensil No. |
|--|------|--------------|---------------------------------|
| 1 | HCL | 6103A1474333 | MGI-COET/11-12/ELPO-Semi/PC/091 |
| <p>  Lab Incharg  HOD  Store Incharg  Principal </p> | | | |


Principal
Mauli Group of Institution
College of Engineering &
Technology Shgaon.

Mech Seminar Hall

| S.N. | Make | CPU Sr No | Tensil No. |
|--|------|--------------|---------------------------------|
| 1 | HCL | 1133AC537663 | MGI-COET/13-14/Mech-Semi/PC/221 |
| <p>  Lab Incharg  HOD  Store Incharg  Principal </p> | | | |


Principal
Mauli Group of Institution
College of Engineering &
Technology Shgaon.

Allumini Office

| S.N | Make | CPU Sr No | Tensil No. |
|--|------|--------------|----------------------------------|
| 1 | HCL | 1133AC537711 | MGI-COET/14-15/Alu Office/PC/283 |
| <p>  Lab Incharg HOD  Store Incharg  Principal </p> | | | |

Principal
Mauli Group of Institution
College of Engineering &
Technology Shegaon

T&P Office

| S.N. | Make | CPU Sr No | Tensil No. |
|---|------|-----------|---------------------------|
| 1 | DELL | 662GT12 | MGI-COET/14-15/T&P/PC/306 |
| 2 | DELL | 2G2GT12 | MGI-COET/14-15/T&P/PC/307 |
| 3 | DELL | 252GT12 | MGI-COET/13-14/T&P/PC/210 |
| 4 | DELL | J4BVD2 | MGI-COET/13-14/T&P/PC/209 |
| <p>  Lab Incharg  HOD  Store Incharg  Principal </p> | | | |

Principal
Mauli Group of Institution
College of Engineering &
Technology Shegaon

Consumer Store

College of Engineering &
Technology Shegaon.

| S.N. | Make | CPU Sr No | Tensil No. |
|-------------|------|--------------|--------------------------|
| 1 | HCL | 6103A1473795 | MGI-COET/11-12/CS/PC/109 |
| Lab Incharg | | HOD | Store Incharg |
| | | | Principal |

Principal
Mauli Group of Institution
College of Engineering &
Technology Shegaon.

Sport Department

| S.N. | Make | CPU Sr No | Tensil No. |
|--|------|--------------|-----------------------------|
| 1 | HCL | 3133AC591145 | MGI-COET/13-14/Sport/PC/230 |
| <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  Lab Incharg </div> <div style="text-align: center;">  HOD </div> <div style="text-align: center;">  Store Incharg </div> <div style="text-align: center;">  Principal </div> </div> | | | |

Principal

HOD CIVIL


Mauli Group of Institution
College of Engineering &

| S.N. | Make | CPU Sr No | Tensil No. Technology Shegaon |
|---|------|--------------|---------------------------------|
| 1 | DELL | FZ3GT12 | MGI-COET/14-15/HOD CIVIL/PC/282 |
| 2 | HCL | 6103A1474345 | MGI-COET/11-12/HOD CIVIL/PC/002 |
| <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  Lab Incharg </div> <div style="text-align: center;">  HOD </div> <div style="text-align: center;">  Store Incharg </div> <div style="text-align: center;">  Principal </div> </div> | | | |

Principal

Mauli Group of Institution
College of Engineering &
Technology Shegaon

HOD EXTC

| S.N. | Make | CPU Sr No | Tensil No. |
|--|------|-----------|--------------------------------|
| 1 | DELL | 3Y3GT12 | MGI-COET/14-15/HOD EXTC/PC/286 |
| <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  Lab Incharg </div> <div style="text-align: center;">  HOD </div> <div style="text-align: center;">  Store Incharg </div> <div style="text-align: center;">  Principal </div> </div> | | | |

Principal

Mauli Group of Institution
College of Engineering &
Technology Shegaon

Workshop Department

| S.N. | Make | CPU Sr No | Tensil No. |
|------|------|--------------|----------------------------|
| 1 | HCL | 6103A1473789 | MGI-COET/11-12/W.S./PC/105 |
| 2 | HCL | 6103A1474323 | MGI-COET/11-12/W.S./PC/075 |


Lab Incharg


HOD


Store Incharg


Principal

Principal
 Mauli Group of Institution
 College of Engineering &
 Technology Shegaon.

Admin Office

| S.N. | Make | CPU Sr No | Tensil No. |
|------|------|--------------|-----------------------------|
| 1 | HCL | 6103A1474416 | MGI-COET/11-12/Admin/PC/068 |
| 2 | HCL | 6103A1474364 | MGI-COET/11-12/Admin/PC/092 |
| 3 | HCL | 6103A1474409 | MGI-COET/11-12/Admin/PC/116 |
| 4 | HCL | 1133AC537094 | MGI-COET/13-14/Admin/PC/229 |
| 5 | DELL | 882GT12 | MGI-COET/14-15/Admin/PC/298 |
| 6 | HCL | 6103A1473828 | MGI-COET/11-12/Admin/PC/094 |
| 7 | HCL | 1133AC537675 | MGI-COET/13-14/Admin/PC/227 |


Lab Incharg


HOD


Store Incharg


Principal

Principal
 Mauli Group of Institution
 College of Engineering &
 Technology Shegaon.

Account Office

| S.N., | Make | CPU Sr No | Tensil No. |
|-------|------|--------------|-------------------------------|
| 1 | HCL | 6103A1473839 | MGI-COET/11-12/Account/PC/084 |
| 2 | DELL | HY3GT12 | MGI-COET/14-15/Account/PC/299 |
| 3 | HCL | 6103A1474338 | MGI-COET/11-12/Account/PC/014 |
| 4 | HCL | 6103A1474341 | MGI-COET/11-12/Account/PC/083 |
| 5 | HCL | 6103A1473785 | MGI-COET/11-12/Account/PC/010 |
| 6 | HCL | 1133AC537243 | MGI-COET/13-14/Account/PC/228 |


Lab Incharg


HOD


Store Incharg


Principal


Principal
 Mauli Group of Institution
 College of Engineering &
 Technology Shegaon.

DSP Lab

| S.N. | Make | CPU Sr No | Tensil No. |
|------|------|--------------|---------------------------|
| 1 | HCL | 6103A1473786 | MGI-COET/11-12/DSP/PC/053 |
| 2 | HCL | 6103A1473797 | MGI-COET/11-12/DSP/PC/078 |
| 3 | HCL | 6103A1474329 | MGI-COET/11-12/DSP/PC/071 |
| 4 | HCL | 1133AC537523 | MGI-COET/13-14/DSP/PC/242 |
| 5 | HCL | 4123AC357976 | MGI-COET/12-13/DSP/PC/164 |
| 6 | DELL | 26066744822 | MGI-COET/14-15/DSP/PC/313 |
| 7 | HCL | 4123AC354797 | MGI-COET/12-13/DSP/PC/163 |
| 8 | HCL | 6103A1474324 | MGI-COET/11-12/DSP/PC/009 |
| 9 | HCL | 1423AC357838 | MGI-COET/12-13/DSP/PC/175 |
| 10 | HCL | 6103A1474322 | MGI-COET/11-12/DSP/PC/012 |
| 11 | HCL | 6103A1474334 | MGI-COET/11-12/DSP/PC/003 |
| 12 | HCL | 6103A1473786 | MGI-COET/11-12/DSP/PC/080 |
| 13 | HCL | 4123AC358005 | MGI-COET/12-13/DSP/PC/131 |
| 14 | HCL | 6103A1474407 | MGI-COET/11-12/DSP/PC/090 |
| 15 | HCL | 4123AC357900 | MGI-COET/12-13/DSP/PC/187 |
| 16 | HCL | 6103A1474431 | MGI-COET/11-12/DSP/PC/102 |
| 17 | HCL | 4123AC354731 | MGI-COET/12-13/DSP/PC/178 |
| 18 | HCL | 6103A1473835 | MGI-COET/11-12/DSP/PC/114 |
| 19 | DELL | NN | MGI-COET/14-15/DSP/PC/313 |
| 20 | HCL | 1133AC537730 | MGI-COET/13-14/DSP/PC/231 |
| 21 | HCL | 6103A1473815 | MGI-COET/11-12/DSP/PC/115 |
| 22 | HCL | 6103A1474406 | MGI-COET/11-12/DSP/PC/100 |
| 23 | HCL | 1423AC354879 | MGI-COET/12-13/DSP/PC/176 |


Lab Incharg


HOD



Store Incharg


Principal


Principal
 Mauli Group of Institution
 College of Engineering &
 Technology Shegaon

Computer Center

| S.N. | Make | CPU Sr No | Tensil No. |
|------|----------|---------------|--------------------------|
| 1 | HCL | 6103A1474346 | MGI-COET/2011-12/CC/035 |
| 2 | HCL | 3133AC591279 | MGI-COET/2011-12/CC/036 |
| 3 | HCL | 3133AC591297 | MGI-COET/2011-12/CC/037 |
| 4 | HCL | 4123AC357849 | MGI-COET/2012-13/CC/139 |
| 5 | HCL | 6103A1473830 | MGI-COET/2011-12/CC/039 |
| 6 | HCL | 6103A1473793 | MGI-COET/2011-12/CC/40 |
| 7 | HCL | 6103A1474330 | MGI-COET/2011-12/CC/41 |
| 8 | HCL | 6103A1474366 | MGI-COET/2011-12/CC/42 |
| 9 | HCL | 6103A1473787 | MGI-COET/2011-12/CC/43 |
| 10 | HCL | 6103A1473840 | MGI-COET/2011-12/CC/44 |
| 11 | HCL | 6103A1474332 | MGI-COET/2011-12/CC/45 |
| 12 | HCL | 3133AC591084 | MGI-COET/2011-12/CC/46 |
| 13 | HCL | 2123AC309285 | MGI-COET/2011-12/CC/47 |
| 14 | HCL | 4123AC354298 | MGI-COET/2011-12/CC/48 |
| 15 | HCL | 4123AC354229 | MGI-COET/2011-12/CC/49 |
| 16 | HCL | 3133AC591370 | MGI-COET/2013-14/CC/245 |
| 17 | HCL | 3133AC591285 | MGI-COET/2011-12/CC/51 |
| 18 | HCL | 4123AC357356 | MGI-COET/2011-12/CC/52 |
| 19 | HCL | 6103A1473842 | MGI-COET/2011-12/CC/53 |
| 20 | HCL | 6103A1474411 | MGI-COET/2011-12/CC/54 |
| 21 | HCL | 6103A1473790 | MGI-COET/2011-12/CC/55 |
| 22 | HCL | 2123AC309636 | MGI-COET/2011-12/CC/56 |
| 23 | HCL | 4123AC356271 | MGI-COET/2011-12/CC/57 |
| 24 | HCL | 2123AC309455 | MGI-COET/2011-12/CC/58 |
| 25 | HCL | 6103A1473845 | MGI-COET/2011-12/CC/59 |
| 26 | HCL | 6103A1473825 | MGI-COET/2011-12/CC/60 |
| 27 | HCL | 6103A1473784 | MGI-COET/2011-12/CC/61 |
| 28 | HCL | 6103A1474414 | MGI-COET/2011-12/CC/62 |
| 29 | HCL | 6103A1474347 | MGI-COET/2011-12/CC/63 |
| 30 | HCL | 4123AC357693 | MGI-COET/2011-12/CC/64 |
| 31 | HCL | 6102A1473849 | MGI-COET/2011-12/CC/65 |
| 32 | HCL | 4123AC354759 | MGI-COET/2011-12/CC/66 |
| 33 | HCL | 5123AC380745 | MGI-COET/2011-12/CC/67 |
| 34 | HCL | 6103A1473841 | MGI-COET/2011-12/CC/68 |
| 35 | HCL | 6103A14740350 | MGI-COET/2011-12/CC/69 |
| 36 | HCL | 6103A1474327 | MGI-COET/2011-12/CC/70 |
| 37 | HCL | 6103A1473850 | MGI-COET/2011-12/CC/71 |
| 38 | HCL | 1133AC537709 | MGI-COET/2011-12/CC/72 |
| 39 | HCL | 6103A1474351 | MGI-COET/2011-12/CC/73 |
| 40 | HCL | 4123AC354681 | MGI-COET/2011-12/CC/74 |
| 41 | ASSMBLED | CX90448278 | MGI-COET/2022-23/CC/366 |
| 42 | ASSMBLED | CX90438239 | MGI-COET/2022-23/CC /367 |
| 43 | ASSMBLED | CX90448246 | MGI-COET/2022-23/CC /368 |
| 44 | ASSMBLED | CX90438888 | MGI-COET/2022-23/CC /369 |
| 45 | ASSMBLED | CX90448268 | MGI-COET/2022-23/CC /370 |
| 46 | ASSMBLED | CX90448235 | MGI-COET/2022-23/CC /371 |
| 47 | ASSMBLED | CX90438382 | MGI-COET/2022-23/CC /372 |
| 48 | ASSMBLED | CX90448257 | MGI-COET/2022-23/CC /373 |
| 49 | ASSMBLED | CX90438178 | MGI-COET/2022-23/CC /374 |
| 50 | ASSMBLED | CX90448218 | MGI-COET/2022-23/CC /375 |


Lab Incharg


HOD


Store Incharg


Principal

Principal
Mauli Group of Institution
College of Engineering &
Technology Shegaon.

Raspberry PI Lab

| S.N. | Make | CPU Sr No | Tensil No. |
|------|-----------|------------|-----------------------------|
| 1 | ASSEMBLED | CX90590676 | MGI-COET/2022-23/Pi-Lab/426 |
| 2 | ASSEMBLED | CX90839310 | MGI-COET/2022-23/Pi-Lab/427 |
| 3 | ASSEMBLED | CX90590554 | MGI-COET/2022-23/Pi-Lab/428 |
| 4 | ASSEMBLED | CX90590671 | MGI-COET/2022-23/Pi-Lab/429 |
| 5 | ASSEMBLED | CX90590674 | MGI-COET/2022-23/Pi-Lab/430 |
| 6 | ASSEMBLED | CX90590673 | MGI-COET/2022-23/Pi-Lab/431 |
| 7 | ASSEMBLED | CX90590668 | MGI-COET/2022-23/Pi-Lab/432 |
| 8 | ASSEMBLED | CX90590662 | MGI-COET/2022-23/Pi-Lab/433 |
| 9 | ASSEMBLED | CX90590665 | MGI-COET/2022-23/Pi-Lab/434 |
| 10 | ASSEMBLED | CX90590679 | MGI-COET/2022-23/Pi-Lab/435 |
| 11 | ASSEMBLED | CX90590680 | MGI-COET/2022-23/Pi-Lab/436 |
| 12 | ASSEMBLED | CX90590544 | MGI-COET/2022-23/Pi-Lab/437 |
| 13 | ASSEMBLED | CX90590687 | MGI-COET/2022-23/Pi-Lab/438 |
| 14 | ASSEMBLED | CX90590565 | MGI-COET/2022-23/Pi-Lab/439 |
| 15 | ASSEMBLED | CX90590590 | MGI-COET/2022-23/Pi-Lab/440 |
| 16 | ASSEMBLED | CX90590667 | MGI-COET/2022-23/Pi-Lab/441 |
| 17 | ASSEMBLED | CX90590655 | MGI-COET/2022-23/Pi-Lab/442 |
| 18 | ASSEMBLED | CX90590686 | MGI-COET/2022-23/Pi-Lab/443 |
| 19 | ASSEMBLED | CX90590661 | MGI-COET/2022-23/Pi-Lab/444 |
| 20 | ASSEMBLED | CX90838287 | MGI-COET/2022-23/Pi-Lab/445 |


 Lab Incharg


 HOD


 Store Incharg


 Principal

Principal
 Mauli Group of Institution
 College of Engineering &
 Technology Shegaon.

OS Lab

| S.N. | Make | CPU Sr No | Tensil No. |
|--|------|--------------|---------------------------|
| 1 | HCL | 2123AC308498 | MGI/COET/12-13/OS Lab/189 |
| 2 | HCL | 4123AC354765 | MGI/COET/12-13/OS Lab/120 |
| 3 | HCL | 6103A1474408 | MGI/COET/11-12/OS Lab/091 |
| 4 | HCL | 4123AC354523 | MGI/COET/12-13/OS Lab/119 |
| 5 | HCL | 4123AC354777 | MGI/COET/12-13/OS Lab/122 |
| 6 | Dell | FO4GT12 | MGI/COET/14-15/OS Lab/269 |
| 7 | HCL | 4123AC357351 | MGI/COET/12-13/OS Lab/168 |
| 8 | HCL | 5123AC379580 | NN |
| 9 | Dell | J3KQ6C2 | MGI/COET/18-19/OS Lab/274 |
| 10 | Dell | H82GT12 | MGI/COET/14-15/OS Lab/268 |
| 11 | Dell | 2Z3GT12 | MGI/COET/14-15/OS Lab/272 |
| 12 | Dell | J3G4T72 | MGI/COET/18-19/OS Lab/280 |
| 13 | Dell | 5123AC379983 | MGI/COET/12-13/OS Lab/124 |
| 14 | HCL | 5123AC379580 | MGI/COET/12-13/OS Lab/118 |
| 15 | HCL | 4123AC357840 | MGI/COET/12-13/OS Lab/117 |
| 16 | HCL | 4123AC357460 | MGI/COET/12-13/OS Lab/127 |
| 17 | HCL | 4123AC354514 | MGI/COET/12-13/OS Lab/121 |
| <div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  Lab Incharg </div> <div style="text-align: center;">  HOD </div> <div style="text-align: center;">  Store Incharg </div> <div style="text-align: center;">  Principal </div> </div> | | | |


Principal
 Mauli Group of Institution
 College of Engineering &
 Technology Shigaon.

HARDWARE LAB

| S.N. | Make | CPU Sr No | Tensil No. |
|------|-----------|--------------|---------------------------|
| 1 | Dell | 592GT12 | MGI-COET/14-15/HRD/PC/276 |
| 2 | HCL | 6103A1474335 | MGI-COET/11-12/HRD/PC/007 |
| 3 | HCL | 6103A1473781 | MGI-COET/11-12/HRD/PC/048 |
| 4 | ASSEMBLED | CX90590658 | MGI-COET/2022-23/HRD/406 |
| 5 | ASSEMBLED | CX90839302 | MGI-COET/2022-23/HRD/407 |
| 6 | ASSEMBLED | CX90590643 | MGI-COET/2022-23/HRD/408 |
| 7 | ASSEMBLED | CX90590585 | MGI-COET/2022-23/HRD/409 |
| 8 | ASSEMBLED | CX90590683 | MGI-COET/2022-23/HRD/410 |
| 9 | ASSEMBLED | CX90839233 | MGI-COET/2022-23/HRD/411 |
| 10 | ASSEMBLED | CX90590570 | MGI-COET/2022-23/HRD/412 |
| 11 | ASSEMBLED | CX90590684 | MGI-COET/2022-23/HRD/413 |
| 12 | ASSEMBLED | CX90838980 | MGI-COET/2022-23/HRD/414 |
| 13 | ASSEMBLED | CX90590668 | MGI-COET/2022-23/HRD/415 |
| 14 | ASSEMBLED | CX90590678 | MGI-COET/2022-23/HRD/416 |
| 15 | ASSEMBLED | CX90590685 | MGI-COET/2022-23/HRD/417 |
| 16 | ASSEMBLED | CX90590644 | MGI-COET/2022-23/HRD/418 |
| 17 | ASSEMBLED | CX90590675 | MGI-COET/2022-23/HRD/419 |
| 18 | ASSEMBLED | CX90839293 | MGI-COET/2022-23/HRD/420 |
| 19 | ASSEMBLED | CX90590663 | MGI-COET/2022-23/HRD/421 |
| 20 | ASSEMBLED | CX90590669 | MGI-COET/2022-23/HRD/422 |
| 21 | ASSEMBLED | CX90590664 | MGI-COET/2022-23/HRD/423 |
| 22 | ASSEMBLED | CX90590660 | MGI-COET/2022-23/HRD/424 |
| 23 | ASSEMBLED | CX90590677 | MGI-COET/2022-23/HRD/425 |


Lab Incharg



HOD


Store Incharg


Principal

Principal
 Mauli Group of Institution
 College of Engineering &
 Technology Shegaon.

DBMS Lab

| S.N. | Make | CPU Sr No | Tensil No. |
|--|------|---------------|----------------------------|
| 1 | DELL | 41616962102 | MGI-COET/18-19/DBMS/PC/338 |
| 2 | HCL | 6103A1474353 | MGI-COET/11-12/DBMS/PC/007 |
| 3 | DELL | 41573702822 | MGI-COET/18-19/DBMS/PC/337 |
| 4 | HCL | 4123AC357854 | MGI-COET/12-13/DBMS/PC/148 |
| 5 | DELL | 9134535926 | MGI-COET/14-15/DBMS/PC/307 |
| 6 | HCL | 6103A1474412 | MGI-COET/11-12/DBMS/PC/006 |
| 7 | DELL | 19536397814 | MGI-COET/14-15/DBMS/PC/300 |
| 8 | DELL | 41606851682 | MGI-COET/18-19/DBMS/PC/340 |
| 9 | DELL | 41574313934 | MGI-COET/18-19/DBMS/PC/341 |
| 10 | DELL | 41573245502 | MGI-COET/18-19/DBMS/PC/342 |
| 11 | DELL | 41573931914 | MGI-COET/18-19/DBMS/PC/343 |
| 12 | DELL | 41209854086 | MGI-COET/18-19/DBMS/PC/344 |
| 13 | DELL | 41573105030 | MGI-COET/18-19/DBMS/PC/345 |
| 14 | DELL | 41219931782 | MGI-COET/18-19/DBMS/PC/346 |
| 15 | HCL | 2123AC309653 | MGI-COET/12-13/DBMS/PC/194 |
| 16 | DELL | 41569725206 | MGI-COET/18-19/DBMS/PC/348 |
| 17 | DELL | 41620507526 | MGI-COET/18-19/DBMS/PC/349 |
| 18 | DELL | 41620961162 | MGI-COET/18-19/DBMS/PC/350 |
| 19 | DELL | 41620857734 | MGI-COET/18-19/DBMS/PC/351 |
| 20 | HCL | 1133AC 537677 | MGI-COET/11-12/DBMS/PC/028 |
| 21 | HCL | 6103A1474333 | MGI-COET/11-12/DBMS/PC/014 |
| 22 | HCL | 6103A1473751 | MGI-COET/11-12/DBMS/PC/292 |
|  Lab Incharg  HOD  Store Incharg  Principal | | | |

Principal
 Mauli Group of Institution
 College of Engineering &
 Technology Shegaon.

Web Tech Lab

| S.N. | Make | CPU Sr No | Tensil No. |
|------|------|---------------|------------------------------|
| 1 | HCL | 6103A1474337 | MGI-COET/11-12/WT LAB/PC/081 |
| 2 | HCL | 1133AC532709 | MGI-COET/13-14/WT LAB/PC/190 |
| 3 | HCL | 1133AC537540 | MGI-COET/13-14/WT LAB/PC/189 |
| 4 | HCL | 4123AC358022 | MGI-COET/12-13/WT LAB/PC/150 |
| 5 | HCL | 1133AC537642 | MGI-COET/13-14/WT LAB/PC/188 |
| 6 | HCL | 6103A1474352 | MGI-COET/11-12/WT LAB/PC/080 |
| 7 | HCL | 1133AC537609 | MGI-COET/13-14/WT LAB/PC/186 |
| 8 | HCL | 1133AC537675 | MGI-COET/13-14/WT LAB/PC/178 |
| 9 | HCL | 1133AC591263 | MGI-COET/13-14/WT LAB/PC/187 |
| 10 | HCL | 3133AC591261 | MGI-COET/13-14/WT LAB/PC/183 |
| 11 | HCL | 1133AC537606 | MGI-COET/13-14/WT LAB/PC/181 |
| 12 | HCL | 5123AC379955 | MGI-COET/12-13/WT LAB/PC/149 |
| 13 | HCL | N.N. | MGI-COET/13-14/WT LAB/PC/184 |
| 14 | HCL | 3133AC591354 | MGI-COET/13-14/WT LAB/PC/180 |
| 15 | HCL | 6103A1473843 | MGI-COET/12-13/WT LAB/PC/147 |
| 16 | HCL | 5123AC381043 | MGI-COET/12-13/WT LAB/PC/146 |
| 17 | HCL | 15123AC380263 | MGI-COET/12-13/WT LAB/PC/087 |
| 18 | HCL | 3133AC591267 | MGI-COET/13-14/WT LAB/PC/182 |
| 19 | HCL | 1133AC537299 | MGI-COET/13-14/WT LAB/PC/097 |
| 20 | HCL | 3133AC591290 | MGI-COET/13-14/WT LAB/PC/179 |
| 21 | HCL | 1133AC537626 | MGI-COET/13-14/WT LAB/PC/225 |
| 22 | HCL | 5123AC381043 | MGI-COET/12-13/WT LAB/PC/209 |
| 23 | HCL | 1133AC537182 | MGI-COET/13-14/WT LAB/PC/258 |


Lab Incharg


HOD


Store Incharg


Principa

Principal
Mauli Group of Institution
College of Engineering &
Technology Shegaon.

Library

| S.N. | Make | CPU Sr No | Tensil No. |
|---|-----------|-------------|-----------------------------|
| 1 | DELL | 3.9127E+10 | MGI-COET/14-15/LIB/PC/297 |
| 2 | DELL | 4.1569E+10 | MGI-COET/18-19/LIB/PC/365 |
| 3 | DELL | 4.1426E+10 | MGI-COET/18-19/LIB/PC/364 |
| 4 | DELL | 4.1616E+10 | MGI-COET/18-19/LIB/PC/363 |
| 5 | HCL | 6103A147381 | MGI-COET/11-12/LIB/PC/076 |
| 6 | HCL | 1133AC53760 | MGI-COET/13-14/LIB/PC/212 |
| 7 | ASSEMBLED | CX90437672 | MGI-COET/2022-23/LIB PC/398 |
| 8 | ASSEMBLED | CX90438891 | MGI-COET/2022-23/LIB PC/399 |
| 9 | ASSEMBLED | CX90438887 | MGI-COET/2022-23/LIB PC/400 |
| 10 | ASSEMBLED | CX90438912 | MGI-COET/2022-23/LIB PC/401 |
| 11 | ASSEMBLED | CX90438369 | MGI-COET/2022-23/LIB PC/402 |
| 12 | ASSEMBLED | CX90437265 | MGI-COET/2022-23/LIB PC/403 |
| 13 | ASSEMBLED | CX90448025 | MGI-COET/2022-23/LIB PC/404 |
| 14 | ASSEMBLED | CX90438391 | MGI-COET/2022-23/LIB PC/405 |
|  Lab Incharg HOD Store Incharg Principal | | | |

Principal
 Mauli Group of Institution
 College of Engineering &
 Technology Shegaon.

Civil Department (Lab)

| S.N. | Make | CPU Sr No | Tensil No. |
|---|-----------|-------------|-------------------------------|
| 1 | HCL | 6103A147380 | MGI-COET/11-12/Civil/PC/104 |
| 2 | ASSEMBLED | | MGI-COET/22-23/CE CAD LAB/446 |
| 3 | ASSEMBLED | | MGI-COET/22-23/CE CAD LAB/447 |
| 4 | ASSEMBLED | | MGI-COET/22-23/CE CAD LAB/448 |
| 5 | ASSEMBLED | | MGI-COET/22-23/CE CAD LAB/449 |
| 6 | ASSEMBLED | | MGI-COET/22-23/CE CAD LAB/450 |
| <p><i>Rude</i> Lab Incharge</p> <p><i>Mud</i> HOD</p> <p><i>SRM</i> Store Incharg</p> <p><i>[Signature]</i> Principal</p> | | | |

Principal
Mauli Group of Institution
College of Engineering &
Technology Shegaon.

Project Lab EXTC

| S.N. | Make | CPU Sr No | Tensil No. |
|------|-----------|--------------|-------------------------------|
| 1 | HCL | 4123AC357512 | MGI-COET/12-13/PR EXTC/PC/179 |
| 2 | HCL | 4123AC354892 | MGI-COET/12-13/PR EXTC/PC/183 |
| 3 | HCL | 5123AC379599 | MGI-COET/12-13/PR EXTC/PC/177 |
| 4 | HCL | 4123AC357644 | MGI-COET/12-13/PR EXTC/PC/171 |
| 5 | HCL | Repairing | |
| 6 | ASSEMBLED | CX90448252 | MGI-COET/2022-23/PR EXTC /376 |
| 7 | ASSEMBLED | CX90438916 | MGI-COET/2022-23/PR EXTC /377 |
| 8 | ASSEMBLED | CX90448272 | MGI-COET/2022-23/PR EXTC /378 |
| 9 | ASSEMBLED | CX90438423 | MGI-COET/2022-23/PR EXTC /379 |
| 10 | ASSEMBLED | CX90448258 | MGI-COET/2022-23/PR EXTC /380 |
| 11 | ASSEMBLED | CX90438142 | MGI-COET/2022-23/PR EXTC /381 |
| 12 | ASSEMBLED | CX90448270 | MGI-COET/2022-23/PR EXTC /382 |
| 13 | ASSEMBLED | CX90438457 | MGI-COET/2022-23/PR EXTC /383 |
| 14 | ASSEMBLED | CX90448219 | MGI-COET/2022-23/PR EXTC /384 |
| 15 | ASSEMBLED | CX90438526 | MGI-COET/2022-23/PR EXTC /385 |


Lab Incharge


HOD


Store Incharge


Principal

Principal
Mauli Group of Institution
College of Engineering &
Technology Shagar.

Computer Lab ELPO

| S.N. | Make | CPU Sr No | Tensil No. |
|------|-----------|-------------|-------------------------------------|
| 1 | DELL | CN-0657PN-6 | MGI-COET/14-15/C.ELPO/PC/285 off |
| 2 | DELL | B52GT12 | MGI-COET/14-15/C.ELPO/PC/305 |
| 3 | DELL | 94GT12 | MGI-COET/14-15/C.ELPO/PC/302 |
| 4 | DELL | GD2GT12 | MGI-COET/14-15/C.ELPO/PC/312 |
| 5 | DELL | GD14GT12 | MGI-COET/14-15/C.ELPO/PC/311 |
| 6 | DELL | D14GT12 | MGI-COET/14-15/C.ELPO/PC/308 |
| 7 | DELL | 814GT12 | MGI-COET/14-15/C.ELPO/PC/304 |
| 8 | ASSEMBLED | | MGI-COET/2022-23/ELPO RE Lab/PC/351 |
| 9 | ASSEMBLED | | MGI-COET/2022-23/ELPO RE Lab/PC/352 |
| 10 | ASSEMBLED | | MGI-COET/2022-23/ELPO RE Lab/PC/353 |
| 11 | ASSEMBLED | | MGI-COET/2022-23/ELPO RE Lab/PC/354 |
| 12 | ASSEMBLED | | MGI-COET/2022-23/ELPO RE Lab/PC/355 |


Lab Incharge


HOD


Store Incharge


Principal

Principal
 Mauli Group of Institution
 College of Engineering &
 Technology Shegaon.

OPP'S LAB

| S.N. | Make | CPU Sr No | Tensil No. |
|---|---------|------------|--------------------------------|
| 1 | Fingers | CX90438891 | MGI-COET/22-23/OPPS LAB/PC/386 |
| 2 | Fingers | CX90437672 | MGI-COET/22-23/OPPS LAB/PC/387 |
| 3 | Fingers | CX90438389 | MGI-COET/22-23/OPPS LAB/PC/388 |
| 4 | Fingers | CX90448262 | MGI-COET/22-23/OPPS LAB/PC/389 |
| 5 | Fingers | CX90448267 | MGI-COET/22-23/OPPS LAB/PC/390 |
| 6 | Fingers | CX90438912 | MGI-COET/22-23/OPPS LAB/PC/391 |
| 7 | Fingers | CX90448232 | MGI-COET/22-23/OPPS LAB/PC/392 |
| 8 | Fingers | CX90448042 | MGI-COET/22-23/OPPS LAB/PC/393 |
| 9 | Fingers | CX90438391 | MGI-COET/22-23/OPPS LAB/PC/394 |
| 10 | Fingers | CX90448263 | MGI-COET/22-23/OPPS LAB/PC/395 |
| 11 | Fingers | CX90448228 | MGI-COET/22-23/OPPS LAB/PC/396 |
| 12 | Fingers | CX90438887 | MGI-COET/22-23/OPPS LAB/PC/397 |
| 13 | Fingers | CX90438236 | MGI-COET/22-23/OPPS LAB/PC/398 |
| 14 | Fingers | CX90448269 | MGI-COET/22-23/OPPS LAB/PC/399 |
| 15 | Fingers | CX90437265 | MGI-COET/22-23/OPPS LAB/PC/400 |
| 16 | Fingers | CX90448025 | MGI-COET/22-23/OPPS LAB/PC/401 |
| 17 | Fingers | CX90448254 | MGI-COET/22-23/OPPS LAB/PC/402 |
| 18 | Fingers | CX90438386 | MGI-COET/22-23/OPPS LAB/PC/403 |
| 19 | Fingers | CX90448021 | MGI-COET/22-23/OPPS LAB/PC/404 |
| 20 | Fingers | CX90437669 | MGI-COET/22-23/OPPS LAB/PC/405 |
|  Lab Incharg | | | |
|  HOD | | | |
|  Store Incharg | | | |
|  Principal | | | |

Principal
 Mauli Group of Institution
 College of Engineering &
 Technology Shegaon.

Langauge Lab

| S.N. | Make | CPU Sr No | Tensil No. |
|------|------|--------------|-------------------------|
| 1 | HCL | 6103A1473836 | MGI-COET/2011-12/LL/015 |
| 2 | HCL | 6103A1473813 | MGI-COET/2011-12/LL/016 |
| 3 | HCL | 6103A1473833 | MGI-COET/2011-12/LL/017 |
| 4 | HCL | 6103A1473822 | MGI-COET/2011-12/LL/018 |
| 5 | HCL | 6103A1474343 | MGI-COET/2011-12/LL/019 |
| 6 | HCL | 6103A1473831 | MGI-COET/2011-12/LL/020 |
| 7 | HCL | 6103A1473820 | MGI-COET/2011-12/LL/021 |
| 8 | HCL | 1133AC537722 | MGI-COET/2011-12/LL/022 |
| 9 | HCL | 6103A1473782 | MGI-COET/2011-12/LL/023 |
| 10 | HCL | 6103A1473799 | MGI-COET/2011-12/LL/024 |
| 11 | HCL | 6103A1474339 | MGI-COET/2011-12/LL/025 |
| 12 | HCL | 6103A147344 | MGI-COET/2011-12/LL/026 |
| 13 | HCL | 6103A1473806 | MGI-COET/2011-12/LL/027 |
| 14 | Dell | 4157345502 | MGI-COET/2018-19/LL/342 |
| 15 | HCL | 6103A1474415 | MGI-COET/2011-12/LL/029 |
| 16 | HCL | 6103A1473792 | MGI-COET/2011-12/LL/030 |
| 17 | HCL | 6103A1474336 | MGI-COET/2011-12/LL/031 |
| 18 | HCL | 6103A1473846 | MGI-COET/2011-12/LL/032 |
| 19 | HCL | 6103A1474349 | MGI-COET/2011-12/LL/033 |
| 20 | HCL | 6103A1474368 | MGI-COET/2011-12/LL/034 |


Lab Incharg


HOD


Store Incharg


Principal

Maui Group of Institution
College of Engineering &
Technology Shegaon.


Server Room

| S.N. | Make | CPU Sr No | Tensil No. |
|------|------|---------------|---------------------------|
| 1 | HCL | 3133AC591241 | MGI-COET/13-14/SVR/PC/195 |
| 2 | HCL | 7101AA5000006 | MGI-COET/11-12/SVR/PC/077 |
| 3 | HCL | 4123AC354399 | MGI-COET/12-13/SVR/PC/131 |
| 4 | HCL | 3133AC591370 | MGI-COET/13-14/SVR/PC/245 |
| 5 | HCL | 3133AC591153 | MGI-COET/13-14/SVR/PC/196 |
| 6 | Dell | NN | MGI-COET/14-15/SVR/PC/282 |
| 7 | HCL | 7101AA5000007 | MGI-COET/11-12/SVR/PC/076 |


Lab Incharg


HOD


Store Incharg


Principal

Principal
Maui Group of Institution
College of Engineering &
Technology Shegaon.

ME DE Lab

| S.N. | Make | CPU Sr No | Tensil No. |
|------|------|--------------|----------------------------|
| 1 | HCL | 4123AC354892 | MGI-COET/12-13/MEDE/PC/183 |
| 2 | HCL | 4123AC354735 | MGI-COET/12-13/MEDE/PC/166 |
| 3 | HCL | 3133AC591145 | MGI-COET/13-14/MEDE/PC/230 |
| 4 | HCL | 2123AC308885 | MGI-COET/12-13/MEDE/PC/167 |
| 5 | HCL | 4123AC357871 | MGI-COET/12-13/MEDE/PC/086 |
| 6 | HCL | 4123AC357612 | MGI-COET/12-13/MEDE/PC/162 |
| 7 | HCL | 4123AC357976 | MGI-COET/12-13/MEDE/PC/164 |
| 8 | HCL | 4123AC354870 | MGI-COET/12-13/MEDE/PC/176 |
| 9 | HCL | 6103A1473815 | MGI-COET/11-12/MEDE/PC/115 |
| 10 | HCL | 6103A1474406 | MGI-COET/11-12/MEDE/PC/100 |
| 11 | HCL | 2123AC308807 | MGI-COET/12-13/MEDE/PC/193 |
| 12 | HCL | | MGI-COET/12-13/MEDE/PC/179 |
| 13 | HCL | 5123AC379599 | MGI-COET/12-13/MEDE/PC/177 |
| 14 | HCL | 4123AC358005 | MGI-COET/12-13/MEDE/PC/131 |
| 15 | HCL | 2123AC309337 | MGI-COET/12-13/MEDE/PC/170 |
| 16 | HCL | 1133AC537523 | MGI-COET/13-14/MEDE/PC/242 |


Lab Incharg


HOD


Store Incharg


Principal

Mauli Group of Institution
College of Engineering &
Technology Shegaon

Girls & Boys Hostle

| S.N. | Make | CPU Sr No | Tensil No. |
|---|------|--------------|--------------------------|
| 1 | HCL | 6103A1473821 | MGI-COET/11-12/GH/PC/123 |
| 2 | HCL | 6103A1473818 | MGI-COET/11-12/GH/PC/085 |
| <div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  Lab Incharg </div> <div style="text-align: center;"> HOD </div> <div style="text-align: center;">  Store Incharg </div> <div style="text-align: center;">  Principal </div> </div> | | | |

PROJECT LAB (CSE)

PRINCIPAL
 Mauli Group of Institutions
 College of Engineering &
 Technology, Shegoan

| S.N. | Make | CPU Sr No | Tensil No. |
|--|------|---------------|------------------------------|
| 1 | HCL | 1423AC357892 | MGI-COET/11-12/PR LAB/PC/089 |
| 2 | HCL | 5123AC380042 | MGI-COET/12-13/PR LAB/PC/126 |
| 3 | HCL | 6103AC1473785 | MGI-COET/11-12/PR LAB/PC/121 |
| 4 | HCL | 5123AC380414 | MGI-COET/12-13/PR LAB/PC/128 |
| 5 | HCL | 4123AC357860 | MGI-COET/12-13/PR LAB/PC/125 |
| 6 | HCL | 6103A1474321 | MGI-COET/11-12/PR LAB/PC/098 |
| 7 | HCL | 4123AC357847 | MGI-COET/12-13/PR LAB/PC/153 |
| <div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  Lab Incharg </div> <div style="text-align: center;">  HOD </div> <div style="text-align: center;">  Store Incharg </div> <div style="text-align: center;">  Principal </div> </div> | | | |

PRINCIPAL
 Mauli Group of Institutions
 College of Engineering &
 Technology, Shegoan